CENTRAL INTELLIGENCE AGENCY

INFORMATION REPORT

This material contains information affecting the National Defense of the United States within the meaning of the Espionage Laws, Title 18, U.S.C. Secs. 793 and 794, the transmission or revelation of which in any manner to an unauthorized person is prohibited by law.

SECRET

25X1

COUNTRY	East Germany	REPORT		
SUBJECT	Uranium Ore Transshipment Depot in Bad Blankenburg	DATE DISTR.	10 January 1955	
		NO. OF PAGES	8	
DATE OF INFO.		REQUIREMENT NO.	RD	
PLACE ACQUIRED	,	REFERENCES		25X1
l	This is UNEVALUATED Information			
	THE APPRAISAL OF CONTENT IS TEL (FOR KEY SEE REVERSE)	* 9 * *	25X1	

25 YEAR RE-REVIEW

SECRET

USAF review completed.

STATE #X	ARMY EV #x	NAVY #	CAIR	#x	FBI	AEC	x	OSI Ev	l
(NOTE: Washington distri	ibution indicated by	"Y". Einlid idinath.		<i>u</i> .					,

· ·		25X
	SECRET	REPORT
		25X1
COUNTRY East	Germany	DATE DISTR. 30 Nov 1954
SUBJECT Uran Bad 1	ium Ore Transshipment Depot in Blankenburg	NO. OF PAGES 7
DATE OF INFORMA	ATION	REFERENCES:
PLACE ACQUIRED		25X1
	THIS IS UNEVALUATED INFORM	MATION 25X1

- 1. Boxes of uranium ore received at the transshipment depot in Bad Blankenburg (N 50-41, E 11-16) were placed on a conveyor belt 20 m. in length (see Annex D) and transferred to the transshipment depot building where they were emptied into rail cars on the rail spur beneath the building. From there the ore was shipped, uncovered, to Johanngeorgen tadt (N 50-26, E 12-44) and Oberschlema (N 50-36, E 12-39) in the Erzgebirge for processing.
- 2. Construction of the Bad Blankenburg depot was started in summer 1952 and completed in December 1953. The depot operated in three shifts with about 30 persons working each shift. All workers lived in Bad Blankenburg and earned 400 East Marks per month. One Soviet officer was in charge of the Soviet military guards at the depot. Almost daily, two to four Soviet geologists arrived at the depot to inspect the uranium ore.

4 Enclosures

Annex A - Pinpoint location of Transshipment Depot at Bad Blankenburg Annex B - Sketch of Ore Transshipment Depot.

Annex C - Front View of Ore Transshipment Depot.

Ahnex D - Side View of Ore Transshipment Depot.


25 YEAR RE-REVIEW

, 25X1

Annex A
Overlay of
Scale 1:25,000,

25X1 ,25X1

Pinpoint Location of Transshipment Depot at Bad Blankenburg




SECRET

25X1

Legend to Annex A

- 1. Transshipment Depot, 200x70 m., where uranium ore was unloaded from Dietrichshutte, Hüttensteinach, Schmiedefeld, Lippelsdorf, Gebersdorf, Maura, Döschnitz, Rohrbach, and Friedberg. The depot was about 700 m. east of the center of the Bad Blankenburg railway station.
- 2. Railroad Spur which lead from the Bad Blankenburg railway station to Schwarza (N 50-41, E 11-19).
- 3. A road three meters wide with gravel-packed surface which lead from Bad Blankenburg east to Schwarza.
- 4. Bad Blankenburg railway station.
- 5. Country roads, two meters wide with gravel surface.
- 6. A road, six meters wide with asphalt surface leading from Bad Blankenburg accesses to Saalfeld (N 50-39, E 11-21).

SECRET



25X1

Legend to Annex B

- 1. Wooden guard post, 7x4x3 m. which had one Soviet armed military guard in uniform on 24-hour duty to check all incoming and outgoing personnel.
- 2. Wooden billets, 30x7x4 m. with tar paper low-pitched gable roof and which contained looker rooms, messhall, administrative offices, and sleeping rooms.
- 3. Wooden fire station. 20x6x3.50 m. with a tar paper low-pitched gable roof.

25X1

- 4. Unloading area. Wooden boxes with uranium ore were unloaded at this point.
- 5. Open storage area for empty uranium ore boxes.
- 6. Wooden vehicle shed, 33x5x4 m., open on the sides.
- 7. Uranium ore transshipment depot, 65x12x15 m. This building was placed on five meter-high reinforced concrete columns. Immediately below the tar papered low pitched gable roof was a two meter-high corridor. Several windows were located on each side of the building at corridor levely. Two railroad spurs led beneath the building and between the concrete support columns. (See Annexes C and D for sketches of front and side views of the depot.)


25X1

- 8. Mesh wire double fence(one meter apart), 3.50 m. high, topped with barbed wire which enclosed the entire depot area.
 - 9. Railroad spurs (same as Point 2, legend to Annex A).
- 10. Road, four meters wide with a timber and gravel surface.
- ll. Guard tower (one of five located inside the fence), seven meters high with a wooden foundation. It had a guard platform, or room which was 2x2x2 meters and had glass walls. One Soviet military guard in uniform, armed with submachine gun, was on 24-hour duty. The tower constructions were illuminated at night.
- 12. Entrance for railroad cars.
- 13. Road (same as Point 6, Legend to Annex A).

SECRET

25X1

Annex C Front View of Ore Transshipment Depot Bldg. in Bad Blankenburg





Annex D Side View of Ore Transshipment Depot Bldg. in Bad Blankenburg

